

Agromet Advisory Service Bulletin for Raigad District (Issued jointly by IAAS, Dr. B.S. Konkan Krishi Vidyapeeth, & Regional India Meteorological Department, Mumbai) (02358) 282387



No. 104/2018 Date: 28/12/2018 Duration – 5 days

Dr. Subhash Chavan,Head,
Department of Agronomy
9422431067

Dr. Vijay More,Nodal Officer,
Department of Agronomy
9422374001

Dr. Shital Yadav,Technical Officer,
Department of Agronomy
8379901160

Siş	gnificant (Per	past wea iod –22/1				eek	Weather Parameters	Wea	Weather forecast until 08.30 hrs of 02/01/2019			
22/12	23/12	24/12	25/12	26/12	27/12	28/12		29/12	30/12	31/12	01/01	02/01
0	0	0	-	-	-	-	Rainfall (mm)	0	0	0	0	0
37.7	34.2	35.2	-	-	-	-	Maximum temperature (°C)	29	30	30	30	29
13.4	13.7	16.0	-	-	-	-	Minimum temperature (°C)	18	18	19	18	18
0	0	0	-	-	-	-	Cloud cover (Octa)	1	1	1	1	0
81	87	88	-	-	-	-	Relative Humidity Max. (%)	67	66	66	66	67
35	32	-	-	-	-	-	Relative Humidity Min. (%)	62	62	61	62	62
1.5	1.7	1.2	-	-	-	-	Wind speed (Km/hr)	10	10	9	8	8
0	0	0	-	-	-	-	Wind direction	82	82	82	84	78
	Rainfall (mm) in last week						Rainfall (mm) from 01/01/2018 to till dated		Total Rainfall (mm) in last ye		st year	
0.0							3558.3	3442.2				

Agro-met Advisory
Sky will be slightly cloudy from 29th, 30th December 2018 to 1st January, 2019. Wind velocity range from 8 to 10 Kmph from 29th
December 2018 to 2nd January, 2019.

Crop	Stage	December 2018 to 2 nd January, 2019. Agro Advise
Rice	Seedling	Apply 1 kg urea per guntha after 15 days of sowing of rice nursery.
Groundnut	Vegetative	Provide irrigation to groundnut crop at 10-12 days interval.
	growth	
Mango	Vegetative	• There is possibility of incidence of mango hoppers at the time of flower bud initiation of Mango,
	flush & flower	therefore it is advise to spray Lambda cyhaothrin 5%EC @ 6 ml per 10 liter of water. Also add
	bud initiation	Hexaconazole 5% @ 5 ml or wettable Sulphur 80% @ 20 gm per 10 liter in water for control of powdery mildew disease.
		 New growth below graft union should be removed regularly from new plantation of mango.
Cashewnut	Flowering	• There is possibility of incidence of tea mosquito bug and thrips on the inflorescence of cashewnut, if
		incidence is noticed spray Profenophos 50% EC @10 ml per 10 liter of water. (insecticide is not under label claim)
		• Provide irrigation to newly planted cashewnut orchard and use straw mulch to reduce evaporation.
		New growth below graft union should be removed regularly from new plantation of cashewnut.
Arecanut	-	• Apply 160 gms urea and 125 gms of muriate of potash as 2 nd split dose for 3 year old and above Arecanut palm.
Onion	Vegetative	• For control of weeds in onion crop, do weeding operation at 8-10 days interval also provide irrigation as per requirement.
Vegetables/ Fruit crop	Vegetative	• If incidence of wilt is noticed on watermelon, drenching of carbendazim @1 gm per liter is suggested.
nursery		• If the incidence of aphids, leaf hoppers, leaf eating caterpillars, leaf miner is noticed on tomato, brinjal, Chilli etc. vegetable crops, spray malathion 20 ml or Dimethoate 15 ml per 10 liters of water at 10 to 15 days interval.
		• For control of weeds in cole crop, do weeding operation after 20-25 days of planting also earthing up of soil to give support to plant.
		• Provide irrigation to vegetable crop at 6-8 days interval.
		Provide irrigation to grafts, sapling of fruit crop nursery regularly.
Milch		 Provide clean and hygienic drinking water to farm animals.
Animals/		• Vaccination against Ranikhet disease in poultry birds under the supervision of veterinary officer is
Goat		advocated.
/Poultry		• Protect the animals /poultry birds from low temperature by providing curtains and electric bulbs as per the need.

This Agro Advisory Bulletin (AAB) is prepared and published with the consultation and recommendation of SMS committees of "Gramin Krishi Mausam Sewa (GKMS)" Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth, Dapoli.

For more information contact nearby SAU research station or Agriculture officers of Agriculture Department, Maharashtra state.