

31.6

15.4

-

100

65

2

NE

30.4

18.2

-

100

75

2

NE

29

17.8

-

98

73

3

NE

29.7

16.9

-

93

75

2

NE

32

17.7

-

94

57

3

NE

34.3

19.9

-

85

60

4

NE

-

-

-

-

-

-

Agromet Advisory Service Bulletin for Thane District (Issued jointly by GKMS, Dr. B.S. Konkan Krishi Vidyapeeth, & Regional India Meteorological Department, Mumbai) (02358) 282387



34

22

0

73

39

3

Е

No. 02/2020						Date:	: 07/01/2020	Duration – 5 days				
Dr. Prashant Bodake, Head, Department of Agronomy 9420413255					I	Noc Departme	V ijay More, lal Officer, ent of Agronomy 22374001	Dr. Shital Yadav, Technical Officer, Department of Agronomy 8379901160				
5	Significant (Per	t past wea riod –01/0			0	k	Weather Parameters	Weather forecast until 08.30 hrs of 12/01/2020				
01/01	02/01	03/01	04/01	05/01	06/01	07/01		08/01	09/01	10/01	11/01	12/01
0	0	0	0	0	0	-	Rainfall (mm)	0	0	0	0	0

Maximum temperature (°C)

Minimum temperature (°C)

Relative Humidity Max. (%)

Relative Humidity Min. (%)

Cloud cover (Octa)

Wind speed (Km/hr)

34

21

0

78

44

4

SW

33

19

1

78

51

10

ENE

32

19

0

57

29

10

Е

32

20

0

59

35

9

Е

-	Wind direction
Agr	o-met Advisory

There is possibility of increase in maximum and minimum temperature and sky will be clear from

8th to 12th January, 2020.

Crop	Stage	Agro Advise				
Rice	Nursery	• Provide irrigation to summer rice nursery regularly.				
		• Apply 1 kg urea per guntha 15 days after sowing of rice nursery.				
Lablab bean	Vegetative	• There is possibility of incidence of Leaf eating caterpillar on lablab bean, if incidence is				
		noticed spray Cypermethrin 25%EC @ 10 ml per 10 liter of water.				
Mango	Vegetative	• There is forecast for increase in temperature which may increase the incidence of				
	and flower	hoppers and thrips on mango. To protect the inflorescence from hoppers, thrips and				
	bud	powdery mildew diseases, spray Lambda cyhalothrin 5%EC @ 6 ml + hexaconazole @				
	initiation	5 ml per 10 liter in water at the time of flower bud initiation as a second spray of mango				
		blossom protection schedule.				
		• For protection of vegetative flush from hoppers, spray deltamethrin 2.8%EC @ 10 ml				
Caraant		per 10 liter in water.				
Coconut		• There is possibility of incidence of spiraling white fly on coconut which results into				
		growth of black fungus on leaves, if incidence is noticed spray Lambda cyhalothrin17.8%SL @3 per 10 liters of water. For the protection from black fungus				
		Spray 1% starch solution @ 10 per 10 liter of water.				
Chilli	Flowering	 Apply 2nd spilt dose of urea @ 65 kg/ acre to chilli at the time of flowering and fruiting. 				
Cillin	Thowering	 Due to forecast for increase in temperature, there is possibility of incidence of sucking 				
		pest in chilli, if incidence is noticed spray Dimethoate 30%EC @ 10 ml per 10 liter of				
		water also place yellow sticky cards in field.				
Cabbage	Vegetative	• For control of weeds in cole crop, do weeding operation after 20-25 days of planting also				
		earthing up of soil to give support to plant.				
Milch Animals/		• Due to forecast for increase in temperature, provide ample amount of clean and hygienic				
Goat		drinking water to farm animals.				
This Agro Advisory Bulletin (AAB) is prepared and published with the consultation and recommendation of SMS						
committees of "Gramin Krishi Mausam Sewa (GKMS)" Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth, Dapoli.						
For more info	For more information contact nearby SAU research station or Agriculture officers of Agriculture Department,					
Maharashtra state.						