

3269.2

Ministry of Earth Science, India Meteorological Department is collaborated with Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth, Dapoli, Gramin Krishi Mousam Seva Project, College of Horticulture, Mulde

College of Horticulture, Mulde Agro Advisory Bulletin For The District Sindhudurg (Period 26th to 30th October, 2019)



214.4

Issue 86/2019					Date 25.10.2019				Duration 5 Days					
Actual weather parameters recorded during last week (Dated 19th to 25th October, 2019)					Weather Parameters			Foreca	Forecasted weather parameters for forthcoming 5 day's (Valid for 26th to 30th October, 2019)					
19/10	20/10	21/10	22/10	23/10	24/10	25/10	Date			26/10	27/10	28/10	29/10	30/10
31.6	26.0	47.6	8.4	4.5	39.5	56.8	Rainfall (mm)			35	12	0	6	8
31.5	31.0	33.5	33.5	30.0	29.0	27.0	Temp. _{махітит} (°С))	27	28	29	31	32
23.0	23.0	23.0	23.0	23.0	23.0	23.0	Temp. Minimum (°C)			22	23	22	22	23
Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	AM	Cloud Cove	r	8	8	7	5	5
Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	PM	(Octa.)		0				
95	95	95	93	95	95	95	RI	H - I (%)		93	91	94	93	89
86	78	55	84	86	90		RH - II (%)			90	80	66	61	58
0.4	0.9	1.2	2.0	2.0	2.8	3.2	Wind Speed (km/		r.)	024	011	008	005	800
Calm	Calm	Calm	Calm	Calm	ESE	ESE	AM	Wind		400	440	95	F-7	00
WNW	WNW	WNW	WSW	ESE	ESE		PM	Direction	on 168		113	90	57	69
Rainfall (Rainfall (mm) in last year (2018) Rainfall (mm) from			m) from 01	n 01/01/19 to till dated Rainfall (mm) from			nm) from 01	01/06/19 to till dated			Rainfall (mm) in last week		

General Weather condition in forthcoming 5 days: Moderate rain and cloudy weather is predicted in forthcoming 5 days.

4475.6

Weather Prediction Based Agro-Advice	

4475.6

Name of Cree	Croudh Store	Weather Prediction Based Agro-Advice
Name of Crop	Growth Stage	Advisory
Rice	Harvesting	Harvest the crop close to the ground with the help of "Vaibhav sickle" developed by Dr. B.S.K.K.V. Dapoli.
		In the district the harvesting of early rice varieties is ongoing it is advised that store the harvested rice in to shade and
		where the harvesting is not done there should harvest the crop by looking forecast.
Groundnut	Peg initiation &	If the incidence of Tikka disease is noticed on groundnut crop, then farmers are advocated to apply Carbendazim @ 10
	pod formation	gms or Dithane M-45 @ 20 gms per 10 litres of water for its control.
Horse gram & Cowpea		Sowing should be done on mid-October to till end of November. For sowing use improved verities like Dapoli -1 and
		Konkan Sadabahar, Konkan Safed of Horse gram and Cowpea respectively.
		Sowing distance of both the crop is 30x15 cm. and required 18 to 20 kg. and 15 to 18 kg. seed of Horse gram and
	Sowing	Cowpea respectively. Treat seed with Thiram 2.5 gram and Rhizobium 25 gram per kg. of seed for both crops.
		Recommended dose of fertilizers for Horse gram is 25:50:60 kg. NPK per hector and for Cowpea is 25:50:00 kg. NPK
		per hector and apply the fertilizer at proper depth.
		Sowing should be done on October and November. For sowing use improved verities like Konkan wal -1 and Konkan wal-
Kadva Wal	Sowing	2 of Kadva Wal.
Mango	Sowing	Sowing distance for the crop is 30x15 cm. or 30x20 cm. or 30x30 cm. and required 50 to 60 kg. Seed of Wal. Treat seed with Thiram 3 gram and Rhizobium 25 gram per kg. of seed for Wal crop.
		Recommended dose of fertilizers for Wal is 25:50:60 kg. NPK per hector and apply the fertilizer at proper depth.
		Protect the new flush from mango hoppers, leaf eating caterpillars, shoot borer and midge fly. If incidence is noticed,
	Flushing	spraying with <i>Dimethoate</i> 25 EC @ 12 ml or <i>Monocrotophos</i> 36 WSC @ 11 ml per 10 litres of water as per need is
		advocated.
	Pre-flush	If the incidence of cashew stem rot borer is found to control cashew stem rot borer remove the bark of affected stem with
Cashewnut		help of 15 mm knife and remove the cashew stem rot borer from stem and soak the stem in to the paste of Cloropyriphos
	F16-liusii	20% EC @ 10 ml. per 10 liter water is advocated.
		In cashew cut the dead and diseased branches and apply 1 % bordo paste to the cut surface.
	Flowering	Application of second dose of fertilizers to Coconut @ 750 gms of Urea and 660 gms of Murate of potash as per
Soil testing	_	recommended by the University is advocated. Soil testing of the soil should be done to check the amount of N,P,K after harvest of field crops. For detail information
Son testing	_	contact Soil Scientist, Regional Fruit Research Station, Vengurla. (02366-262234).
		Contact Son Scientist, Neglonal Fruit Nesearch Station, Veriguna. (02300-202234).

This Agro Advisory Bulletin (AAB) is prepared and published with the consolation and recommendation of SMS committee of "Gramin Krishi Mausam Sewa (GKMS)", Regional Fruit Research Station, Vengurle and College of Horticulture, Mulde Dr. B.S.Konkan Krishi Vidyapeeth, Dapoli 416 520 (MS).

Dr. P.C. Haldavanekar Associate Dean College of Horticulture, Mulde Tal. Kudal Dist. Sindhudurg Dr. P.C. Haldavanekar Associate Dean and Nodal Officer College of Horticulture, Mulde Tal. Kudal Dist. Sindhudurg (02362-244231,244272)

Dr. Y. C. Muthal Technical Officer Gramin Krishi Mousam Seva College of Horticulture, Mulde (02362-244231)