

Agromet Advisory Service Bulletin for Thane District (Issued jointly by IAAS, Dr. B.S. Konkan Krishi Vidyapeeth, & Regional India Meteorological Department, Mumbai) (02358) 282387



No. 70/2019 Date: 30/08/2019 Duration – 5 days

Dr. Prashant Bodake, Head, Department of Agronomy 9420413255 Dr. Vijay More, Nodal Officer, Department of Agronomy 9422374001

Dr. Shital Yadav, Technical Officer, Department of Agronomy 8379901160

Significant past weather for the preceding week (Period –24/08/2019 to 30/08/2019)							Weather Parameters	Weather forecast until 08.30 hrs of 04/09/2019				
24/08	25/08	26/08	27/08	28/08	29/08	30/08		31/08	01/09	02/09	03/09	04/09
1	0	-	9	7	1	-	Rainfall (mm)	25	17	15	24	23
32.5	31	-	31.4	33.4	32.5	-	Maximum temperature (°C)	33	32	32	32	32
24.7	25.2	-	24.8	25	24.7	-	Minimum temperature (°C)	26	25	26	25	25
-	-	-	-	-	-	-	Cloud cover (Octa)	6	8	7	7	8
-	99	-	100	-	-	-	Relative Humidity Max. (%)	92	93	93	93	92
89	93	84	97	87	89	-	Relative Humidity Min. (%)	73	81	73	81	81
2	4	-	4	2	2	-	Wind speed (Km/hr)	10	10	14	8	11
251	288	249	226	271	251	-	Wind direction	216	197	210	203	195

Agro-met Advisory

There is possibility of moderate rainfall from 31st August to 4th September, 2019 and sky will be cloudy.

Extended range rainfall forecast for Konkan division for the period of 30th August to 5th September, 2019 is above normal.

Extended rang	ge rainfall fored	east for Konkan division for the period of 30 th August to 5 th September, 2019 is above normal.
Crop	Stage	Agro Advise
Special advise	•	• In situation of complete loss of rice crop due to flood, drain out excess water by making drainage channel (1-1.5 ft width and 2-2.5 ft depth) along the slope in low lying area which will help to bring soil moisture to field capacity. After soil moisture reaches to field capacity, cultivation of short duration pulses (cowpea, horse gram, green gram, lablab bean) niger or short duration vegetable crops (coriander, spinach, amaranthus, fenugreek) is advised for remaining kharif period which will help to recover partial loss due to failure of rice crop.
Kharif rice	Tillering	 Maintain the optimum water level of 5 cm in the rice crop which is in tillering stage. Apply second split dose of nitrogeneous fertilizers urea @ 87 kg/ha to rice crop at tillering stage after weeding. Due to forecast of intermittent rainfall and 27-28°C prevailing mean temperature there
		will be incidence of stem borer and leaf folder on rice. If incidence is notices, apply Cartap hydrochloride 4%G @ 21.8 kg/ha in moist soil. If field is dry then spray Quinalphos 25%EC@26 ml or Cartap hydrochloride 50% @ 20 g or Triazophos 40%EC@ 12.5 ml per 10 liter of water. If required repeat the spray at an interval of 8-10 days.
Mango	Vegetative	• Due to forecast of increase in temperature which is congenial for vegetative flush in mango, for protection of vegetative flush, spray Lambda cyhalothrin 5%EC@ 6ml or Quinalphos 25% EC @25 ml + Bavistin 20 g per 10 liter of water.
Vegetable crops	Fruiting	• Due to forecast of cloudy weather and increase in humidity, there is possibility of incidence of downy mildew in cucurbitaceous vegetables, if incidence noticed, remove and destroy infected leaves and take a spray of Mancozeb or Zineb 2.5 gm/lit of water at an interval of 10 to 15 days.
		• There is possibility of incidence of red pumpkin beetle on cucumber, bitter gourd, snake gourd, bottle gourd, red pumpkin and ridge gourd etc. cucurbitaceous crops. If incidence is noticed, spray Dimethoate 30%EC @ 15 ml or malathion 50%EC @ 20 ml per 10 liters of water.
		• Install 'Rakshak' trap @ 4 nos. per ha in cucurbitaceous crop for effective control of fruit fly.

Note: spraying should be taken in dry period during day.

This Agro Advisory Bulletin (AAB) is prepared and published with the consultation and recommendation of SMS committees of "Gramin Krishi Mausam Sewa (GKMS)" Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth, Dapoli.

For more information contact nearby SAU research station or Agriculture officers of Agriculture Department, Maharashtra state.