

जा.क./उचितम्/रोपवाटीका/395/१०२२
 उद्यानविद्या महाविद्यालय, मुळदे
 ता, कुडाळ, जि. सिंधुदुर्ग.
 दिनांक :

10 MAR 2022

प्रति,

विषय : विविध आकरचे फोमशिट बोर्ड व डीजिटल बॅनर तयार करून देणेचे दरपत्रक सादर करण्याबाबत.

महाशय,

वरील विषयाबाबत असे कळविण्यात येते की, उद्यानविद्या महाविद्यालय, मुळदे करीता खालीलप्रमाणे विविध आकरचे फोमशिट बोर्ड व डीजिटल बॅनर तयार करावयाचे अमुळ दरपत्रक मागविण्यात येत आहे.

| अ.क्र | तपशिल | साईज | अंदाजित खरेदी नग | शेष |
|-------|---|---|------------------|----------------------------------|
| १ | 3 फुट X 2 फुट फुट — डिजिटल बॅनर स्पार प्रिंट लोखंडी जी. आय फेम व लोखंडी जी. आय चौकोनी डबल पाईप सहीत | 7 फुट उंची, १.५" X १.५" चौकोनी पाईप | 3 | |
| २ | 4 फुट X 2 फुट फुट — डिजिटल बॅनर स्पार प्रिंट लोखंडी जी. आय फेम व लोखंडी जी. आय चौकोनी डबल पाईप सहीत | 7 फुट उंची, १.५" X १.५" चौकोनी पाईप | 1 | |
| ३ | 2 फुट X 1.5 फुट फुट — बॅनर स्पार प्रिंट लोखंडी जी. आय फेम व लोखंडी जी. आय चौकोनी सिंगल पाईप सहीत | 5 फुट उंची, १" X १" चौकोनी पाईप | 7 | प्रति फुटाचा/इचाचा दर नमुद करावा |
| ४ | 12" X 7" — विनायल प्रिंट फोमसेट एलेट (५ mm) | - | 79 | |
| ५ | 1 फुट X 1.5 फुट विनायल प्रिंट फोमसेट एलेट (५ mm) | - | 21 | |

याबाबत आपणास विनंती करण्यात येते की, कृपया आपण वरील तपशिलप्रमाणे विविध आकरचे फोमशिट बोर्ड व डीजिटल बॅनरचे दर नमुद करून याबाबतचे दरपत्रक या कार्यालयात दि. २५/०३/२२ प्राप्त होईल अशा तच्छेने सादर करावे. उशिरा प्राप्त होण्यान्या दरपत्रकाचा विचार केला जाणार नाही यांची कृपया नोंद घ्यावो. दरपत्रकाबाबत अटी खालीलप्रमाणे.

- १) दरपत्रक बंद लखोट्यातून सादर करावे व त्यावर "विविध आकरचे फोमशिट बोर्ड व डीजिटल बॅनरचे दरपत्रक" असे स्पष्ट नमुद करावे.
- २) दरपत्रकात दिलेले दर हे सर्व करासहीत स्पष्टपणे नमुद करावे.
- ३) दरपत्रकातील दर हे साहित्य उद्यानविद्या महाविद्यालय, मुळदे ता. कुडाळ कार्यालयास पोहोच देण्याचे असावे.
- ४) दरपत्रक सहयोगी अधिष्ठाता, उद्यानविद्या महाविद्यालय, मुळदे ता. कुडाळ, जि. सिंधुदुर्ग - ४१६५२० या पत्यावर पाठवावे.
- ५) दरपत्रकात या दरपत्रकान्या संदर्भाचा उल्लेख असावा.
- ६) टपालद्वारे दरपत्रक पोहोचण्यास विलंब झाल्यास हे कार्यालय जबाबदार राहणार नाही.
- ७) सर्व दरपत्रके मंजुर अथवा नामंजुर करण्याचा अधिकार या कार्यालयाने राखून ठेवला आहे.
- ८) दरपत्रकावर जी. एस. टी. नंबर नमुद करणे अत्यंत आवश्यक आहे.

आपले विरवासू

(*M. S.*)

सहयोगी अधिष्ठाता
 उद्यानविद्या महाविद्यालय, मुळदे
 ता. कुडाळ, जि. सिंधुदुर्ग

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|---|
| Crop | Nutmeg (<i>Myristica fragans</i> Houtt.) |
| Cultivar | Koskan SWF (Released by D.B.S.K.V., Dapoli in 1981) |
| Family | Mysticaceae |
| Avg. yield | 600 - 700 fruits per tree |
| Features | <ul style="list-style-type: none"> ✓ High yielding variety ✓ Medium size fruits ✓ Female flowers bearing variety |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|---|
| Crop | Nutmeg (<i>Myristica fragrans</i> Houtt.) |
| Cultivar | Koskan Segifta (Released by D.B.S.K.V., Dapoli in 1981) |
| Family | Mysticaceae |
| Avg. yield | 500 fruits per tree, 200 gms. Mass per tree |
| Features | <ul style="list-style-type: none"> ✓ True canopy is conical & compact ✓ Bisexual flowers ✓ Higher fruit set percentage ✓ High yielding ✓ Medium size nut |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|--|
| Crop | Kokum (<i>Garcinia indica</i> Choisy) |
| Cultivar | Konkan Rath (Released by D.B.S.K.V., Dapoli in 1986) |
| Family | Clusiaceae |
| Avg. yield | 150 Kg. Fruits per tree |
| Features | <ul style="list-style-type: none"> ✓ Big size fruits (91 grams) ✓ Attractive red colour with thick rind ✓ High yielding variety ✓ Harvesting period – April to May |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|--|
| Crop | Kokum (<i>Garcinia indica</i> Choisy) |
| Cultivar | Konkan Amrit (Released by D.B.S.K.V., Dapoli in 1987) |
| Family | Clusiaceae |
| Avg. yield | 135 to 140 Kg. Fruits per tree |
| Features | <ul style="list-style-type: none"> ✓ Early maturing (before monsoon) ✓ Medium size fruits (35 grams) ✓ Attractive red colour with thick rind ✓ Long shelf life of fruits |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|--|
| Crop | Black Pepper (<i>Piper nigrum</i>) |
| Cultivar | Panniyur - 1 (Released by K.A.U., Thrissur) |
| Family | Piperaceae |
| Avg. yield | 3 - 5 Kg. green pepper per vine |
| Features | <ul style="list-style-type: none"> ✓ Suitable for all pepper growing regions ✓ World's first hybrid pepper variety ✓ Suited for white pepper production ✓ Long spikes and bold berries |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|---|
| Crop | Turmeric (<i>Curcuma longa</i>) |
| Cultivar | Salem (Famous variety from Tamilnadu) |
| Family | Zingiberaceae |
| Avg. yield | 350 - 400 QL per ha |
| Features | <ul style="list-style-type: none"> ✓ The plants are vigorous and tall ✓ Dark yellow colour ✓ Rhizomes are bigger and fingers are longer ✓ Rich in curcumin content (4.75%) ✓ Moderate in curing percentage |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Programme on Spices and Aromatic Plants

Production of Quality Planting Material



| | |
|------------|---|
| Crop | Cinnamon (<i>Cinnamomum verum</i> Presl) |
| Cultivar | Konkan Tej (Released by D.B.S.K.V., Dapoli in 1983) |
| Family | Lauraceae |
| Avg. yield | 300 grammised bark per tree and 500 gramm dried leaves per tree |
| Features | <ul style="list-style-type: none"> ✓ Olive green colour foliage ✓ Brown colour bark ✓ Aromatic phloem ✓ Contains 7.03 % eugenol in cinnamon oil |

Sponsored by
The Directorate of Areca Nut & Spices Development, Calicut

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Name of the crop :- Black Pepper (*Piper nigrum*)

Cv.- Panniyur - 1 (Released by K. A. U., Thrissur)

| | |
|------------|--|
| Family | Piperaceae |
| Avg. yield | 3 - 5 Kg. green pepper per vine |
| Features | <ul style="list-style-type: none"> ✓ Suitable for all pepper growing regions ✓ World's first hybrid pepper variety ✓ Suited for white pepper production ✓ Long spikes and bold berries |

2 x 1.5 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Name of the crop :- Turmeric (*Curcuma longa*)

Cv. - Salem (Famous variety from Tamilnadu)



| | |
|------------|---|
| Family | Zingiberaceae |
| Avg. yield | 350 - 400 QL per ha |
| Features | <ul style="list-style-type: none"> ✓ The plants are vigorous and tall ✓ Dark yellow colour ✓ Rhizomes are bigger and fingers are longer ✓ Rich in curcumin content (4.75%) ✓ Moderate in curing percentage |

3 x 2 size

DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI
College of Horticulture, Mulde
 Centrally Sponsored Scheme
 Mission for Integrated Development of Horticulture (MIDH)

Name of the crop : Kokum (*Garcinia indica* Choisy)

Cv- Konkan Rath (Released by D.B.S.K.V., Dapoli)

| | |
|-----------------|---|
| Year of release | 2006 |
| Avg. yield | 150 Kg. per tree |
| Features | <ul style="list-style-type: none"> ✓ Big size fruits (91 grams) ✓ Attractive red colour with thick rind ✓ High yielding variety of Kokum ✓ Harvesting period – April to May |

3 x 2 size



DR. BALASAHEB SAWANT KONKAN KRISHI VIDYAPEETH, DAPOLI

College of Horticulture, Mulde

Centrally Sponsored Scheme

Mission for Integrated Development of Horticulture (MIDH)



Title: Survey, Collection, Maintenance and Evaluation of Germplasm of Other Major Fruit Crops

GERmplasm OF FRUIT CROPS

| Sr. No. | Name of Crop | Total Clones/types |
|---------|--|--------------------|
| 1 | Aonla (<i>Embleica officinalis</i>) | 18 |
| 2 | Jackfruit (<i>Artocarpus heterophyllus</i> Lam.) | 27 |
| 3 | Monkey jack (Oat) (<i>Artocarpus lakoocha</i>) | 1 |
| 4 | Kokum (<i>Garcinia indica</i>) | 31 |
| 5 | Jamun (<i>Syzygium Cumini</i>) | 32 |
| 6 | Karonda (<i>Carissa congesta</i>) | 9 |
| 7 | Ramphal (<i>Anona reticulata</i>)/Bullock's Heart | 4 |
| 8 | Sour soup (<i>Anona muricata</i>) | 15 |
| 9 | Custard apple (<i>Anona squamosa</i>) | 1 |
| 10 | Rambutan (<i>Nephelium lappaceum</i>) | 2 |
| 11 | Lemon (<i>Citrus limon</i>) | 3 |
| 12 | Mahalung (<i>Citrus medica</i>) | 2 |
| 13 | Papanus (<i>Citrus grandis</i>) / Torinjan | 1 |
| 14 | Tamarind (<i>Tamarindus indica</i>) | 3 |
| 15 | Ambadi (<i>Sapondius pinnata</i>) | 1 |
| 16 | Toran (<i>Zyzophorus rugosa</i>) | 1 |
| 17 | Avocado (<i>Persea americana</i>) | 1 |
| 18 | Fig (<i>Ficus carica</i>) | 1 |
| 19 | Mulberry (<i>Morus indica</i>) | 1 |
| 20 | Rose apple (<i>Eugenia jambos</i>) | 1 |
| 21 | Malayan apple (<i>Eugenia malaccensis</i>) | 1 |
| 22 | Australian Cherry (<i>Malpighia puniceifolia</i>) | 1 |
| 23 | West Indian Cherry (<i>Malpighia puniceifolia</i>) | 1 |
| 24 | Star fruit (<i>Averrhoa carambola</i>) | 1 |
| 25 | Litchi (<i>Litchi chinensis</i>) | 3 |
| 26 | Sapota (<i>Manilkara Archus</i>) | 3 |
| 27 | Malta (<i>Quercus ilex</i>) | 1 |
| 28 | Coconut (<i>Cocos nucifera</i>) | 4 |
| 29 | Banana (<i>Musa spp.</i>) | 3 |
| 30 | Ornamental Karonda | 1 |
| 31 | Bael (<i>Aegle marmelos</i>) | 2 |
| 32 | Kadikokum (<i>Garcinia cambogia L.</i>) | 2 |
| 33 | Mangosteen (<i>Garcinia mangostea L.</i>) | 3 |
| 34 | Yellow Kokum (<i>Garcinia Xanthochymus L.</i>) | 2 |
| 35 | <i>Garcinia gummi-gutta</i> | 2 |
| 36 | Ataka | 3 |
| 37 | Papaya (<i>Carica papaya L.</i>) | 1 |
| 38 | Pineapple (<i>Ananas comosus</i>) | 2 |
| 39 | Rayan (<i>Manilkara hexandra L.</i>) | 1 |
| 40 | Jam / Water Apple | 3 |
| 41 | Lailu (Egg fruit) (<i>Lucuma nervosa L.</i>) | 1 |
| 42 | Arecanut (<i>Areca catechu</i>) | 4 |
| 43 | Pitaya (Dragon fruit) | 1 |
| 44 | Malayan Apple (<i>Syzygium malaccense</i>) | 1 |
| 45 | Passion fruit (<i>Passiflora edulis</i>) | 1 |

4 x 2 size

| | | | |
|--|--|--|--|
| Kokum <i>(Garcinia indica)</i> Variety : Konkan Amruta | Kokum <i>(Garcinia indica)</i> Variety : Konkan Amruta | Kokum <i>(Garcinia indica)</i> Variety : Konkan Amruta | Nutmeg <i>(Myristica fragrans Houtt.)</i> Variety : Konkan Sugandha |
| Arecanut Variety : Shrivardhani | Arecanut Variety : Shrivardhani | Nutmeg Variety : Konkan Swad | Nutmeg Variety : Konkan Shrimanti |
| Arecanut <i>(Areca catechu)</i> Variety : Sumangla | Arecanut <i>(Areca catechu)</i> Variety : Sumangla | Coconut <i>(Cocos nucifera)</i> Variety : Pratap | Coconut <i>(Cocos nucifera)</i> Variety : Pratap |
| Coconut <i>(Cocos nucifera)</i> Variety : Pratap | Coconut <i>(Cocos nusifera)</i> Variety : Banavali | Black Pepper <i>(Piper nigrum)</i> Variety : Panniyur-1 | Black Pepper <i>(Piper nigrum)</i> Variety : Panniyur-1 |
| Black Pepper <i>(Piper nigrum)</i> Variety : Panniyur-1 | Black Pepper <i>(Piper nigrum)</i> Variety : Panniyur-1 | Turmeric <i>(Curcuma longa)</i> Variety : Salem | Turmeric <i>(Curcuma longa)</i> Variety : Salem |
| Ginger <i>(Zingiber officinale)</i> Variety : Mahim | Cinnamon <i>(Cinnamomum verum Presi)</i> Variety : Konkan Tej | Cinnamon <i>(Cinnamomum verum Presi)</i> Variety : Konkan Tej | Cinnamon <i>(Cinnamomum verum Presi)</i> Variety : Konkan Tejpatta |
| Cashew Mother Orchard Variety : Vengurla-4 | Cashew Mother Orchard Variety : Vengurla-4 | Cashew Mother Orchard Variety : Vengurla-7 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-8 |
| Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-8 | Cashew Mother Orchard Variety : Vengurla-9 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-9 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-9 |
| Cashew Mother Orchard Variety : Vengurla-1 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-4 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-4 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-4 |
| Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-7 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-7 | Cashew <i>(Anacardium occidentale)</i> Variety : Vengurla-7 | Cashew Mother Orchard Variety : Vengurla-6 |

| | | | |
|---|---|---|---|
| Jamun (<i>Syzygium cumini</i>) Variety : Konkan Bahadoli | Jamun (<i>Syzygium cumini</i>) Variety : Konkan Bahadoli | Jamun (<i>Syzygium cumini</i>) Variety : Konkan Bahadoli | Jamun (<i>Syzygium cumini</i>) Variety : Konkan Bahadoli |
| Kadipatta (Curry leaf) (<i>Morraya koenigii</i>) | Kadipatta (Curry leaf) (<i>Morraya koenigii</i>) | Jackfruit (<i>Artocarpus heterophyllus Lam.</i>) Variety : Konkan Prolific | Jackfruit (<i>Artocarpus heterophyllus Lam.</i>) Variety : Konkan Prolific |
| Jackfruit (<i>Artocarpus heterophyllus Lam.</i>) Variety : Konkan Prolific | Lemon (<i>Citrus limon</i>) Variety : Konkan Lemon | Lemon (<i>Citrus limon</i>) Variety : Konkan Lemon | Banana (<i>Musa spp.</i>) Variety : Konkan Safed Velchi |
| Banana (<i>Musa spp.</i>) Variety : Konkan Safed Velchi | Banana (<i>Musa spp.</i>) Variety : Konkan Safed Velchi | Banana Variety : Grand Nain (G-9) | Karonda (<i>Carissa carandas</i>) Variety : Konkan Bold |
| Kadi Kokum (<i>Garcinia Cambogia L.</i>) | Yellow Kokum (<i>Garcinia xanthochymus L.</i>) | Velvet Apple (<i>Diospyros discolor</i>) | Muricata (<i>Annona muricata</i>) |
| Pomelo (<i>Citrus grandis</i>) | Cocoa (<i>Theobroma cacao L.</i>) | Coffee (<i>Coffea arabica</i>) | Ramphal (Bullock's Heart) (<i>Annona reticulata L.</i>) |
| Allspice (<i>Pimenta dioica</i>) | Jam/Water Apple (<i>Syzygium samarangense</i>) | Jam/Water Apple (<i>Syzygium samarangense</i>) | Mangosteen (<i>Garcinia Mangostana L.</i>) |
| Sonchafa (<i>Magnolia champaca L.</i>) Variety : Saundarya | Sonchafa (<i>Magnolia champaca L.</i>) Variety : Saundarya | Keshri Sonchafa (Orange Champak) (<i>Magnolia champaca L.</i>) | Keshri Sonchafa (Orange Champak) (<i>Magnolia champaca L.</i>) |
| Tamarind (<i>Tamarindus indica</i>) | Bael (<i>Aegle marmelos</i>) | Papaya (<i>Carica papaya L.</i>) Variety : Red laddy | Papaya (<i>Carica papaya L.</i>) Variety : Red laddy |
| Surangi (<i>Mammea suriga</i>) | Surangi (<i>Mammea suriga</i>) | Portuguese Lemon (Lisbon Lemon) | |

1 x 1.5'

| | | | |
|---|--|--|---|
| Varietal Block A-7,Krishna, han, Chakayya) | Aonla Varietal Block (NA-7,Krishna, Kanchan, Chakayya) | Mango (<i>Mangifera indica</i> L.) Variety : Pairi | Mango Varietal Block (Indigenous and Exotic varieties) |
| Mango Mother Orchard Variety : Kesar | Mango Mother Orchard Variety : Kesar | Mango Varietal Block (Indigenous varieties) | Mango Varietal Block (Indigenous varieties) |
| Mango Mother Orchard (HDP) Variety : Alphonso (Hapus) | Mango Mother Orchard Variety : Alphonso (Hapus) | Kokum Varietal Block (Spacing : 3 X 3 m.) | Kokum Seedlings (Local Types) |
| Mango Mother Orchard Variety : Ratna | Mango (<i>Mangifera indica</i> L.) Variety : Sindhu | Sapota Varietal Block (Kalipatti / Cricketball) | Guava Varietal Block (Sardar, Shweta, Lalit, Red Flora) |
| Mango <i>Mangifera indica</i> L.) Variety : Sindhu | Mango (<i>Mangifera indica</i> L.) Variety : Goa Mankur | Cashew Varietal Block (Vengurla-4, Vengurla-7, Vengurla 9) | Kadipatta (Curry leaf) (<i>Morraya koenigii</i>) Family - Rutaceae |
| | | Cashew Varietal Block (Vengurla-4, Vengurla-7, Vengurla 9) | |