

Agromet Advisory Service Bulletin for Raigad District (Issued jointly by IAAS, Dr. B.S. Konkan Krishi Vidyapeeth, & Regional India Meteorological Department, Mumbai) (02358) 282387



No. 49/2019 Date: 18/06/2019 Duration – 5 days

Dr. Ashokkumar Chavan, Head, Department of Agronomy 9422373396 **Dr. Vijay More,**Nodal Officer,
Department of Agronomy
9422374001

Dr. Shital Yadav,Technical Officer,
Department of Agronomy
8379901160

Sig	gnificant (Per	past wea iod –12/0				eek	Weather Parameters	Wea	Weather forecast until 08.30 hrs of 23/06/2019			
12/06	13/06	14/06	15/06	16/06	17/06	18/06		19/06	20/06	21/06	22/06	23/06
2.0	8.6	13.4	9.0	1.8	0.0	1.8	Rainfall (mm)	22	12	3	7	8
36.3	32.8	33.8	-	-	-	-	Maximum temperature (°C)	32	33	32	32	33
27.0	23.4	25.0	-	-	-	-	Minimum temperature (°C)	26	26	26	26	26
6	6	8	-	-	-	-	Cloud cover (Octa)	6	8	5	6	8
71	78	78	-	-	-	-	Relative Humidity Max.(%)	85	84	86	85	83
56	68	-	-	-	-	-	Relative Humidity Min. (%)	61	63	61	58	61
3.8	8.6	8.6	-	-	-	-	Wind speed (Km/hr)	12	9	6	7	6
ENE	N	N	-	-	-	-	Wind direction	195	182	192	195	220
	Rainfa	all (mm)	in last w	eek		F	to till dated Total Rainfall (mm) is		nm) in la	st year		
	36.6						71.8		3558.3			·

Agro-met Advisory

There is possibility of light to moderate rainfall from 19th to 23rd June, 2019 and sky will be cloudy.

According to NDVI, Agriculture vigour is moderate and according to SPI, severely dry condition experienced in Raigad district.

Extended range rainfall forecast for Konkan division for the period of 14th to 20th June, 2019 is below normal.

Extend	Extended range rainfall forecast for Konkan division for the period of $14^{ m th}$ to $20^{ m th}$ June, 2019 is below normal.							
Crop	Stage	Agro Advise						
Kharif rice	Nursery	If water stress is observed in rice nursery, then provide irrigation.						
Finger millet	Nursery	 During next five days there is forecast of light to medium rainfall, hence it is advice to complete sowing of finger millet nursery. Recommended seed rate for finger millet is 5 to 6 kg ha⁻¹. Follow seed treatment with thiram fungicide @2.5 kg⁻¹ seed before sowing. Apply 1 kg urea per guntha of nursery bed at the time of sowing. 						
Mango	Vegetative	• For above 10 year old mango tree apply 50 to 100 kg FYM, 1.5 kg nitrogen (3250 gm urea), 0.5 kg phosphorus (single super phosphate) and 1 kg potassium (2000 gm sulphate of potash in circular basin. Apply fertilizers when the intensity of rainfall is low.						
Coconut	•	• For above five year old coconut palm apply 30 kg F.Y.M. alongwith 750 gm urea, 3 kg single super phosphate and 667 gm muriate of potash in circular basin of 1.5 to 1.8 meter from the base of palm, incorporate in soil. Apply fertilizers when the intensity of rainfall is low.						
Vegetable/fruit crop nursery	Sowing	 Carryout sowing operation of cucurbitaceous crops with spacing of 1.5 m x 1 m, Apply 2 kg FYM or compost alongwith 50 to 60 g mix fertilizer (Suphala) per vine at the time of sowing. Carryout sowing operation of okra in ridges and furrow having spacing of 60 x 60 cm. Apply 15 tonne of FYM, 72 kg urea, 313 kg single super phosphate and 83 kg muriate of potash per hectare. Apply 50 grams of urea per bed after 15 days of sowing of brinjal, chilli and tomato vegetable nursery. 						
Milch animal /goat/poultry	. Dellada	 Provide clean and hygienic drinking water to farm animals and poultry birds also protect farm animals from rain water. Carryout planting of biennial and perennial forage crops for animal. The varieties of perennial crops (stumps) like paragrass, Hybrid napier (Jayawant CO- 3, Yashwant) etc. Vaccination against Enterotoxin disease in farm animals under supervision of veterinary officers is advocated. 						

This Agro Advisory Bulletin (AAB) is prepared and published with the consultation and recommendation of SMS committees of "Gramin Krishi Mausam Sewa (GKMS)" Dr. Balasaheb Sawant Konkan Krishi Vidyapeeth, Dapoli. For more information contact nearby SAU research station or Agriculture officers of Agriculture Department, Maharashtra state.